EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8075	715/748,749,738,734,744;705/10, 14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:13
L2	3325	(advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:15
L3	284	assign$4 same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:15
L4	46	3 and download$4 same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:16
L5	45	4 and (calculat$4 determin$4 judg$4) same (advertisement content ad advertising) with campaign	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:17
L6	533	generat$4 near5 random near5 number same (content ad advertis$7) same (select$4 choos$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:18
L7	2	generat$4 near5 random near5 number same (content ad advertis$7) with campaign same (select$4 choos$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:19
L8	0	determin$4 with chance near4 value same random near4 number and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:19
L9	0	determin$4 with chance near4 value same random near4 (number numeral) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/03/30 16:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	(assign$4 with (ad advertis$6 content) with campaign with spaces).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:22
L12	0	(assign$4 with initial near2 share near value same content near5 campaigns).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:24
L13	0	(determin$4 near4 chance near value with content near4 campaign same target$4 near4 criteria).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:26
L14	3	(adjust$4 near6 initial near value and generat$4 near random near (numeral number)).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:27
L15	0	14 and (assign$4 near5 content near4 campain$4 same subset with number).CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:29
L16	0	(select$4 near4 subset with content near3 (campaigns advertising commerc$4 ad advertisement) with assigned with generated with random near (number numeral)). CLM.	US-PGPUB; USPAT	OR	ON	2007/03/30 16:31

Google

Web Images Video News Maps **more »**

selecting OR picking OR choosing (content OF | Search | Advanced Search
Preferences

Web Results 1 - 20 of about **40** for <u>selecting</u> OR <u>picking</u> OR <u>choosing</u> (<u>content</u> OR <u>ad</u> OR <u>advertisement</u> O

Scholarly articles for **selecting OR picking OR choosing (content OR ad OR advertisement OR campaigns) correspondig generated "random number"**

Content-based image retrieval systems: A survey - Veltkamp - Cited by 131
User privacy issues regarding certificates and the TLS ... - Persiano - Cited by 22
Longitudinal and transversal structure functions in ... - Germaschewski - Cited by 5

[DOC] Telecommunication Standardization Sector Document AVC-491b Study ...
File Format: Microsoft Word - View as HTML
NOTE: In field searches, the refence system is the **correspondig** field. ... To **generate** a
random number, the shift register is first shifted as above and ...
ftp3.itu.int/av-arch/avc-site/1993-1996/AVC-491b.doc - Similar pages

SPIE Bookstore
The fluctuating phases are demodulated from the **generated** ... to those of **correspondig**
rays traveling through the microscope under the design conditions. ...
bookstore.spie.org/index.cfm?fuseaction=DetailVolume&productid=2386&showabstracts=1
- 331k - Cached - Similar pages

[PDF] ANALYSIS OF THE INTERNET TOPOLOGY AND GENERATION MODELS by Juan ...
File Format: PDF/Adobe Acrobat - View as HTML
community has dismissed them and models to **generate** more realistic ... BGP allows each
AS to choose its own administrative policy in **selecting** routes and ...
research.ac.upc.edu/CompNet/papers/tesis_JuanIvan.pdf - Similar pages

[PDF] Mobile IP Extensions for Multi-Hop Wireless Networks
File Format: PDF/Adobe Acrobat - View as HTML
Specifically, the following "selection criteria" for **choosing** a foreign agent were
implemented in the new extensions:. á. **Advertisement** rate ...
agent.cs.dartmouth.edu/papers/caripe:mobileip.pdf - Similar pages

ROOT version 3.02 Release Notes
Setting a smaller value makes the **picking** more precise but also more difficult. ...
generated until 3400 **A.D.** or extremely likely to be different. ...
root.cern.ch/root/html/examples/V3.02.txt.html - 291k - Cached - Similar pages

CINT ChangeLogs
With this change the code **generated** by TTree::MakeClass can be used on THbookFile. ...
member fSplitLevel in TBranch with **correspondig** getter GetSplitLevel. ...
root.cern.ch/root/ChangeLog-cint.phtml?changelog-cint/ChangeLog-aj - 570k -
Cached - Similar pages
[More results from root.cern.ch]

[PDF] Using Reinforcement Learning Methods for Action Selection in ...
File Format: PDF/Adobe Acrobat - View as HTML
the behavior of the agent in form of **selecting** the next basic ability to be ... The
correspondig hash function hash(s) for mapping a state key statekey to ...
robocup.rwth-aachen.de/files/publications/2005/Mausberg05thesis.pdf - Similar pages

[PS] UNU.RAN User Manual

File Format: Adobe PostScript
changing the distribution using the **correspondig** set calls, ... **Generate** a **random number**
U U(0,1). 2. Find largest integer I such that F(I) = P(X<=I) <= U. ...
statmath.wu-wien.ac.at/software/unuran/doc/unuran.ps - Similar pages

[PDF] Studying Galaxy-Galaxy-Lensing Using Ray-Tracing Simulations
File Format: PDF/Adobe Acrobat
campaigns is to use high-resolution N-body simulations of structure formation ... In the
lower left panel, the **correspondig** z-space lens plane is displayed. ...
www.astro.uni-bonn.de/~hartlap/publ/thesis.pdf - Similar pages

[PDF] Mobile IP Extensions for Multi-Hop Wireless Networks
File Format: PDF/Adobe Acrobat - View as HTML
Foreign Agent's **Advertisement** Rate. 22. 4.1.2. ....
Number of Mobile Nodes in the Foreign Agent's ...
cmc.cs.dartmouth.edu/cmc/papers/caripe:mobileip.pdf - Supplemental Result -
Similar pages

[PDF] WEWoRC 2005
File Format: PDF/Adobe Acrobat
an IPv4 or an IPv6 address is required), and Random is a **random number generated** by
the TPM. Whenever. an IP address collision occurs, a node can use the ...
www.cosic.esat.kuleuven.be/publications/article-585.pdf - Similar pages

[PDF] arXiv:hep-lat/0206025 v1 21 Jun 2002
File Format: PDF/Adobe Acrobat
which can take different values for different offsets **generated** by the ... **Choosing** offsets
and paths to be included in the Dirac operator is a matter ...
arxiv.org/pdf/hep-lat/0206025 - Similar pages

[PS] Chiral Measurements in Quenched Lattice QCD with Fixed Point Fermions
File Format: Adobe PostScript
elds, which can take dierent values for dierent osets **generated** by the ... **Choosing** osets
and paths to be included in the Dirac operator is a mat- ...
www.itp.unibe.ch/diploma_thesis/jorg/diss.ps - Similar pages

[PDF] arXiv:hep-lat/0206025 v1 21 Jun 2002
File Format: PDF/Adobe Acrobat
Choosing offsets and paths to be included in the Dirac operator is a matter ... on in all the
production runs are **generated** exclusively with a ...
www.citebase.org/fulltext?format=application%2Fpdf&identifier=oai%3AarXiv.org%3Ahep-
lat%2F0206025 - Similar pages

[PDF] Elements of Queues and Performance Analysis of Computer Networks
File Format: PDF/Adobe Acrobat
each state, i, converges to the **correspondig** expectation with probability one. ... tles into
repeatedly visiting (with **random number** of slots between ...
www.utdallas.edu/~datta/CS6352/sp07/coursenotes/smallpagebook.pdf - Similar pages

PHP Manual Stig Sæther BakkenAlexander AulbachEgon SchmidJim ...
At the minimum that means it must **generate** a **Content**-type header. ... Invisible positions
are needed if the annotation has no **correspondig** link in the ...
metacomp.stanford.edu/linux/php.txt - Similar pages

lib4th 1-1-4+18 glossary
FRANDOM (f1 -- f2) dvrandom ans float ret **random number** in range [0,f1), ... body>lfa
(p1 -- p2 | 0) 'body2lfa' hidden ret lfa p2 **correspondig** to the ...
www.lxhp.in-berlin.de/l4gls.html.gz - 545k - Cached - Similar pages

[PS] TURBOMOLE

File Format: Adobe PostScript

generate your atomic coordinates by any tool or program you are familiar with, ... After
choosing the coordinates to be deleted, a list of all ...
www.uni-koeln.de/themen/chemie/software/turbomole/DOK/DOK.ps - Similar pages

[PDF] The Second Baltic Conference on HUMAN LANGUAGE TECHNOLOGIES

File Format: PDF/Adobe Acrobat

Next, new **ad**-hoc regular expression based rules were added to the rule set. until the rule-
generated pronunciations of the sample words matched their actual ...
www.ioc.ee/hlt2005/HLT2005.pdf - Similar pages

From: dond@mhv.net Date: Fri, 02 Jan 1998 22:11:41 GMT Subject: Re ...

Ions were **generated** by Electrospray (ES) spraying a solution of the acid solved ... MS-
Windows) that performs the **correspondig** calculations (ie calculating ...
web.chemistry.gatech.edu/~bostwick/stms/1998.txt - Similar pages

Result Page: 1 2   **Next**

Download Google Pack: free essential software for your PC

---

selecting OR picking OR choosing (Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google